

What is claimed is:

1 1 (currently amended). A wall mounting for detachably mounting a
2 shower head, comprising:
3 a holder for the shower head wherein the holder is attachable to a wall
4 and configured for engaging a location on a housing of the shower head
5 provided for mounting the shower head, **wherein the shower head is**
6 **configured in a form of a hand-held shower head with a grip extending**
7 **from the housing** ~~the holder acting by means of an interference fit along~~
8 ~~withdrawal and introduction directions of the shower head;~~
9 wherein the holder engages on the housing of the shower head by a
10 pair of jaws gripping an outer perimeter of the housing of the shower head
11 between two diametrically opposed locations **at a widest part of** ~~on~~ the
12 housing of the shower head, **the holder acting by means of an interference**
13 **fit with the housing and permitting withdrawal and introduction of the**
14 **shower head between the jaws, along a direction of the grip**; and,
15 wherein the shower head is operational in the holder and remains
16 operational when withdrawn from the mounting.

2-6 (canceled).

1 7 (previously presented). A wall mounting according to claim 1,
2 wherein the jaws are drawn toward one another when the shower head is in
3 place therein.

1 8 (previously presented). A wall mounting according to claim 1,
2 wherein the pair of jaws are joined to the holder for the shower head by a
3 component that is under tension.

1 9(previously presented). A wall mounting according to claim 8,
2 wherein the tensioning component is configured such that it contacts the
3 housing of the shower head over an extended area.

10(canceled).

1 11(previously presented). A wall mounting according to claim 1,
2 wherein the holder for the shower head is arranged between tines of a fork.

12, 13(canceled).

1 14(previously presented). A wall mounting according to claim 1,
2 wherein the housing of the shower head is disk-shaped.

1 15(new). A wall mounting for detachably mounting a shower head,
2 comprising:

3 a holder for the shower head wherein the holder is attachable to a wall
4 and configured for engaging a location on a housing of the shower head
5 provided for mounting the shower head, wherein the housing of the shower
6 head is disk-shaped and the holder acts by means of an interference fit along
7 withdrawal and introduction directions of the shower head;

8 wherein the holder engages on the housing of the shower head by a
9 pair of jaws gripping an outer perimeter of the housing of the shower head
10 between two diametrically opposed locations on the housing of the shower
11 head; and,

12 wherein the shower head is operational in the holder and remains
13 operational when withdrawn from the mounting.

1 16(new). A wall mounting according to claim 15, wherein the shower
2 head is configured in a form of a hand-held shower head having a grip
3 attached to its housing